



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Statistical reports of States and cities of the United States—Yearly and monthly.

CONNECTICUT.—Reports to the State board of health for the month of October from 168 localities having an aggregate estimated population of 940,785, show a total of 1,123 deaths, including diphtheria 21, enteric fever 29, measles 3, scarlet fever 5, whooping cough 13, and 121 from tuberculosis.

IOWA—*Davenport*.—Month of October, 1903. Estimated population, 40,000. Total number of deaths 43, including diphtheria 1, and 6 from tuberculosis.

Keokuk.—Month of October, 1903. Estimated population, 16,000. Total number of deaths 12, including enteric fever 1, and 1 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended November 14, 1903, from 80 observers, indicate that phthisis pulmonalis, pleuritis, scarlet fever, inflammation of bowels, and whooping cough were more prevalent, and inflammation of kidney, measles, and cholera infantum were less prevalent than in the preceding week. Meningitis was reported at 1, whooping cough at 11, measles at 14, smallpox at 27, diphtheria at 44, scarlet fever at 59, enteric fever at 86, and phthisis pulmonalis at 183 places.

MINNESOTA—*Minneapolis*.—Month of October, 1903. Census population, 202,718. Total number of deaths 170, including diphtheria 6, enteric fever 7, scarlet fever 2, and 23 from tuberculosis.

MISSISSIPPI—*Natchez*.—Two weeks ended November 7, 1903. Estimated population 15,000. Total number of deaths 12, including 2 from tuberculosis.

NEBRASKA—*Omaha*.—Month of July, 1903. Census population, 102,555. Total number of deaths 84, including diphtheria, 2, enteric fever, 1, and 8 from tuberculosis.

Month of August, 1903, total number of deaths 80, including 11 from tuberculosis.

NEW HAMPSHIRE—*Concord*.—Month of September, 1903. Estimated population, 20,000. Total number of deaths, 26. No deaths from contagious diseases. Month of October, 1903. Total number of deaths 31, including diphtheria 1, and 2 from enteric fever.

NEW YORK—*Auburn*.—Month of October, 1903. Estimated population, 36,778. Total number of deaths 32, including diphtheria 4, enteric fever 1, and 4 from tuberculosis.

TENNESSEE—*Chattanooga*.—Month of October, 1903. Estimated population, 40,000—white, 27,000; colored, 13,000. Total number of deaths 21—white, 13; colored, 8, including enteric fever 1, and 3 from tuberculosis.

TEXAS—*San Antonio*.—Month of October, 1903. Estimated population, 65,000. Total number of deaths 137, including diphtheria 3, enteric fever 5, yellow fever 4, and 24 from tuberculosis.

UTAH—*Salt Lake City*.—Month of October, 1903. Estimated population, 75,000. Total number of deaths, 50, including enteric fever 6, and 1 from tuberculosis.

WASHINGTON—*Tacoma*.—Month of October, 1903. Estimated population, 60,000. Total number of deaths, 45, including enteric fever 3, and 3 from tuberculosis.

Report of immigration at Baltimore, Md.

OFFICE OF THE COMMISSIONER OF IMMIGRATION,
Baltimore, Md., November 21, 1903.

Number of alien immigrants who arrived at this port during the week ended November 21, 1903; also names of vessels and ports from which they came.

Date of arrival.	Name of vessel.	Where from.	Number of immigrants.
Nov. 16 20 20	Condor	Chile	1
	Breslau	Bremen	1,412
	Templemore	Liverpool	1
	Total		1,414

LOUIS T. WEIS, *Commissioner*.

Report of immigration at Boston.

OFFICE OF THE COMMISSIONER OF IMMIGRATION,
Boston, Mass., November 14, 1903.

Number of alien immigrants who arrived at this port during the week ended November 14, 1903; also names of vessels and ports from which they came.

Date of arrival.	Vessel.	Where from.	Number of immigrants.
Nov. 10 11 14	Columbian	London, England	1
	Bohemian	Liverpool, England	1
	Ultonia	do	396
	Total		398

GEO. B. BILLINGS, *Commissioner*.